

Papers and reports based on the use of MCRA¹

2018:

- Rotter, S., Beronius, A., Boobis, A. R., Hanberg, A., van Klaveren, J., Luijten, M., Machera, K., Nikolopoulou, D., van der Voet, H., Ziliacus, J. and Solecki, R. (2018) Overview on legislation and scientific approaches for risk assessment of combined exposure to multiple chemicals: the potential EuroMix contribution. *Critical Reviews in Toxicology*, 48, 796-814. <https://doi.org/10.1080/10408444.2018.1541964>
- Crépet, A., Vanacker, M., Sprong, C., de Boer, W., Blaznik, U., Kennedy, M., Anagnostopoulos, C., Christodoulou, D. L., Ruprich, J., Rehurkova, I., Domingo, J. L., Hamborg Jensen, B., Metruccio, F., Moretto, A., Jacxsens, L., Spanoghe, P., Senaeve, D., van der Voet, H. and van Klaveren, J. (2018). Selecting mixtures on the basis of dietary exposure and hazard data: application to pesticide exposure in the European population in relation to steatosis. *International Journal of Hygiene and Environmental Health*. <https://doi.org/10.1016/j.ijheh.2018.12.002>
- Sieke C, Michalski B, Kuhl T (2018). Probabilistic dietary risk assessment of pesticide residues in foods for the German population based on food monitoring data from 2009 to 2014. *Journal of Exposure Science and Environmental Epidemiology* 28: 46-54. <https://doi.org/10.1038/jes.2017.7>.
- Suomi J, Tuominen P, Ninistö S, Virtanen SM, Savela K (2018). Dietary heavy metal exposure of Finnish children of 3 to 6 years. *Food Additives & Contaminants: Part A* 35: 1305-1315. <https://doi.org/10.1080/19440049.2018.1480065>
- Jardim ANO, Mello DC, Brito AP, van der Voet H, Boon PE, Caldas ED (2018). Probabilistic dietary risk assessment of triazole and dithiocarbamate fungicides for the Brazilian population (2018). *Food and Chemical Toxicology*, 118: 317-327. <https://doi.org/10.1016/j.fct.2018.05.002>.
- Boon PE, te Biesebeek JD, Brants H, Bouwmeester MC, Hessel HVS (2018). Dietary sources of exposure to bisphenol A in the Netherlands. RIVM Letter report 2017-0187. National Institute for Public Health and the Environment (RIVM), Bilthoven. DOI: 10.21945/RIVM-2017-0187. Available online: www.rivm.nl.
- Boon PE, van Donkersgoed G, Noordam M, van der Vossen-Wijmenga W, van der Schee HA (In prep). Tussenevaluatie van de nota Gezonde Groei, Duurzame Oogst. Deelproject Voedselveiligheid. RIVM rapport 2018-0127. Rijksinstituut voor Volksgezondheid en Milieu (RIVM), Bilthoven. Available online.
- Boon PE, van Donkersgoed G, te Biesebeek JD, Wolterink G, Rietveld AG (2018). Cumulative exposure to residues of plant protection products via food in the Netherlands. RIVM Letter report 2018-0018. National Institute

¹ including predecessors and extensions of MCRA

- for Public Health and the Environment (RIVM), Bilthoven. DOI: 10.21945/RIVM-2018-0018. Available online: www.rivm.nl.
- Mengelers MJB, te Biesebeek JD, Schipper M, Slob W, Boon PE (2018). Risicobeoordeling van GenX en PFOA aanwezig in moestuingewassen in Dordrecht, Papendrecht en Sliedrecht. RIVM Briefrapport 2018-0017. National Institute for Public Health and the Environment (RIVM), Bilthoven. DOI: 10.21945/RIVM-2018-0017. Available online: www.rivm.nl.
 - van de Ven BM, Fragki S, Rietveld AG, Boon PE (2018). Mineral oils in food; a review of toxicological data and an assessment of the dietary exposure in the Netherlands. RIVM Letter report 2017-0182. National Institute for Public Health and the Environment (RIVM), Bilthoven. DOI: 10.21945/RIVM-2017-0182. Available online: www.rivm.nl.
 - Jardim ANO, Brito AP, van Donkersgoed G, Boon PE, Caldas ED (2018). Dietary cumulative acute risk assessment of organophosphorus, carbamates and pyrethroids insecticides for the Brazilian population. Food and Chemical Toxicology, 112: 108-117.
<https://doi.org/10.1016/j.fct.2017.12.010>

2017:

- Boon PE, te Biesebeek JD, van Donkersgoed G (2017). Dietary exposure to lead in the Netherlands. RIVM Letter report 2016-0206. National Institute for Public Health and the Environment (RIVM), Bilthoven. Available online: www.rivm.nl.
- Sprong RC, Niekerk EM, Beukers MH (2017). Intake assessment of the food additives nitrites (E 249 and E 250) and nitrates (E 251 and E 252). RIVM Letter report 2016-0208. National Institute for Public Health and the Environment (RIVM), Bilthoven. Available online: www.rivm.nl.

2016:

- Stephenson CL, Harris CA (2016). An assessment of dietary exposure to glyphosate using refined deterministic and probabilistic methods. Food and Chemical Toxicology 95: 28-41, doi: [10.1016/j.fct.2016.06.026](https://doi.org/10.1016/j.fct.2016.06.026)
- Boon PE, te Biesebeek JD, van Leeuwen SPJ, Zeilmaker MJ, Hoogenboom LAP (2016). Dietary exposure to polybrominated diphenyl ethers in the Netherlands. RIVM Report 2016-0037, National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands.
http://www.rivm.nl/Documenten_en_publicaties/Wetenschappelijk/Rapport_en/2016/april/Dietary_exposure_to_polybrominated_diphenyl_ETHERS_in_the_Netherlands
- Boon PE, te Biesebeek JD (2016). Preliminary assessment of dietary exposure to 3-MCPD in the Netherlands. Letter report 2015-0199, National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands. <http://www.rivm.nl/dsresource?objectid=rivmp:311209>
- van der Voet H, de Boer WJ, Kruisselbrink JW, van Donkersgoed G, van Klaveren JD (2016). MCRA made scalable for large cumulative assessment groups. EFSA supporting publication 2016:EN-910. <http://www.efsa.europa.eu/en/supporting/pub/910e.htm>
- Suomi J, Ranta J, Tuominen P, Putkonen T, Bäckman C, Ovaskainen ML, Virtanen SM, Savela K (2016). Quantitative risk assessment on the dietary

exposure of Finnish children and adults to nitrite. *Food Additives & Contaminants: Part A*, 33: 41-53.
<http://dx.doi.org/10.1080/19440049.2015.1117145>.

2015:

- Boon PE, van der Voet H (2015). Probabilistic dietary exposure models relevant for acute and chronic exposure assessment of adverse chemicals via food. RIVM Letter report 2015-0191.
http://rivm.nl/Documenten_en_publicaties/Wetenschappelijk/Rapporten/2016/januari/Probabilistic_dietary_exposure_models_Relevant_for_acute_and_chronic_exposure_assessment_of_adverse_chemicals_via_food.
- He DL, Ye XL, Xiao YH, Zhao NN, Long J, Zhang PW, Fan Y, Ding SB, Jin X, Tian C, Xu SQ, Ying CJ (2015). Dietary exposure to endocrine disrupting chemicals in metropolitan population from China: A risk assessment based on probabilistic approach. *Chemosphere* 139 (2015) 2–8.
<http://dx.doi.org/10.1016/j.chemosphere.2015.05.036>.
- Sprong RC, de Wit-Bos L, te Biesebeek JD, Alewijn M, Lopez P., Mengelers MJB (2015 in press). A mycotoxin-dedicated total diet study in the Netherlands in 2013: Part III – exposure and risk assessment. *World Mycotoxin Journal*, <http://dx.doi.org/10.3920/WMJ2015.1905>.
- Mancini FR, Sirot V, Busani L, Volatier JL, Hulin M (2015). Use and impact of usual intake models on dietary exposure estimate and risk assessment of chemical substances: a practical example for cadmium, acrylamide and sulphites, *Food Additives & Contaminants: Part A*, 32: 1065-1074.
<http://dx.doi.org/10.1080/19440049.2015.1041428>.
- Jacobs R, van der Voet H, ter Braak CJF (2015). Integrated probabilistic risk assessment for nanoparticles: the case of nanosilica in food. *Journal of Nanoparticle Research*. <http://dx.doi.org/10.1007/s11051-015-2911-y>.
- Sprong RC, Boon PE. Dietary exposure to cadmium in the Netherlands. Letter report 2015-0085, National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands.
<http://hdl.handle.net/10029/557084>.
- Blaznik U, Yngve A, Eržen I, Ribič CH (2015). Consumption of fruits and vegetables and probabilistic assessment of the cumulative acute exposure to organophosphorus and carbamate pesticides of schoolchildren in Slovenia. *Public Health Nutrition*.
<http://dx.doi.org/10.1017/S1368980015001494>.
- van Klaveren JD, Kennedy MC, Moretto A, Verbeke W, van der Voet H, Boon PE (2015). The ACROPOLIS project: Its aims, achievements, and way forward. *Food and Chemical Toxicology*, 79: 1-4.
<http://dx.doi.org/10.1016/j.fct.2015.03.006>.
- van der Voet H, de Boer WJ, Kruisselbrink JW, Goedhart PW, van der Heijden GWAM, Kennedy MC, Boon PE, van Klaveren JD (2015). The MCRA model for probabilistic single-compound and cumulative risk assessment of pesticides. *Food and Chemical Toxicology*, 79: 5-12.
<http://dx.doi.org/10.1016/j.fct.2014.10.014>.
- Boon PE, van Donkersgoed G, Christodoulou D, Crépet A, D'Addezio L, Desvignes V, Ericsson BG, Galimberti F, Loannou- Kakouri E, Hamborg Jensen B, Rehurkova I, Rety J, Ruprich J, Sand S, Stephenson C,

Strömberg A, Turrini A, van der Voet H, Ziegler P, Hamey P, van Klaveren JD (2015). Cumulative dietary exposure to a selected group of pesticides of the triazole group in different European countries according to the EFSA guidance on Probabilistic modelling. *Food and Chemical Toxicology*, 79: 13-31. <http://dx.doi.org/10.1016/j.fct.2014.08.004>.

- Kennedy MC, Glass CR, Bokkers BGH, Hart ADM, Hamey P, Kruisselbrink JW, de Boer WJ, van der Voet H, Garthwaite D, van Klaveren JD (2015). A European model and case studies for aggregate exposure assessment of pesticides. *Food and Chemical Toxicology*, 79: 32-44.
<http://dx.doi.org/10.1016/j.fct.2014.09.009>.
- Kennedy MC, Glass CR, Fustinoni S, Moretto A, Mandic-Rajcevic S, Riso P, Turrini A, van der Voet H, Hetmanski MT, Fussell RJ, van Klaveren JD (2015). Testing of a cumulative and aggregate exposure model using biomonitoring studies and dietary records for Italian vineyard spray operators. *Food and Chemical Toxicology*, 79: 45-53.
<http://dx.doi.org/10.1016/j.fct.2014.12.012>.
- Kennedy MC, van der Voet H, Roelofs VJ, Roelofs W, Glass CR, de Boer WJ, Kruisselbrink JW, Hart ADM (2015). New approaches to uncertainty analysis for use in aggregate and cumulative risk assessment of pesticides. *Food and Chemical Toxicology*. 79: 54-64.
<http://dx.doi.org/10.1016/j.fct.2015.02.008>.
- Akhandaf Y, van Klaveren J, De Henauw S, van Donkersgoed G, Van Gorcum T, Papadopoulos A, Sirot V, Kennedy M, Pinchen H, Ruprich J, Rehurkova I, Perelló G, Sioen I (2015). Exposure assessment within a Total Diet Study: A comparison of the use of the pan-European classification system FoodEx-1 with national food classification systems. *Food and Chemical Toxicology* 78: 221–229.
<http://dx.doi.org/10.1016/j.fct.2015.01.019>.

2014:

- van der Voet H, Kruisselbrink J, Boer WJ, Boon PE (2014). Model-Then-Add : Usual intake modelling of multimodal intake distributions. RIVM Letter Report 090133001/2014. <http://hdl.handle.net/10029/314361>.
- Boon PE, van der Voet H, Ruprich J, Turrini A, Sand S, van Klaveren JD (2014). Computational tool for usual intake modelling workable at the European level. *Food and Chemical Toxicology*, 74: 279–288.
<http://dx.doi.org/10.1016/j.fct.2014.10.019>.
- Boon PE, Lignell S, van Klaveren JD (2014). Estimation of the Acute Dietary Exposure to Pesticides Using the Probabilistic Approach and the Point Estimate Methodology. *European Journal of Nutrition & Food Safety*, 4: 1-3. <http://sciedomain.org/abstract/2540>.
- Boon PE, te Biesebeek JD, de Wit L, van Donkersgoed G. Dietary exposure to dioxins in the Netherlands. RIVM Letter report 2014-0001. National Institute for Public Health and the Environment (RIVM), Bilthoven, 2014.
http://www.rivm.nl/dsresource?objectid=rivmp:271574&type=org&disposition=inline&ns_nc=1

2013

- Roodenburg, A.J.C., van Ballegooijen, A.J., Dötsch-Klerk, M., van der Voet, H., Seidell, J.C. (2013). Modelling of usual nutrient intakes: Potential impact of the Choices Programme on nutrient intakes in young Dutch adults. *PLoS ONE*, 8: e72378.
<http://dx.doi.org/10.1371/journal.pone.0072378>.
- Temme, E.H.M., van der Voet H., Thissen, J.T.N.M., Verkaik-Kloosterman, J., van Donkersgoed, G., Nonhebel, S. (2013). Replacement of meat and dairy by plant derived foods: estimated effects on land use, iron and saturated fatty acid intake in Dutch young adult females. *Public Health and Nutrition*, 16: 1900-1907.

2012

- EFSA (2012). EFSA Panel on Plant Protection Products and their Residues (PPR); Guidance on the Use of Probabilistic Methodology for Modelling Dietary Exposure to Pesticide Residues. EFSA Journal 2012;10(10):2839. [95 + 47 pp.] <http://www.efsa.europa.eu/en/efsjournal/pub/2839.htm>.
- Boon PE, te Biesebeek JD, Sioen I, Huybrechts I, Moschandreas J, Ruprich J, Turrini A, Azpiri M, Busk L, Christensen T, Kersting M, Lafay L, Liukkonen KH, Papoutsou S, Serra-Majem L, Traczyk I, De Henauw S, van Klaveren JD (2012): Long-term dietary exposure to lead in young European children: comparing a pan-European approach with a national exposure assessment, *Food Additives & Contaminants: Part A*, 29:11, 1701-1715.
- Sioen I, Fierens T, Van Holderbeke M, Geerts L, Bellemans M, De Maeyer M, Servaes K, Vanermen G, Boon PE, De Henauw S (2012). Phthalates dietary exposure and food sources for Belgian preschool children and adults. *Environment International*, 48, 102-108.
- van Klaveren JD, Goedhart PW, Wapperom D, van der Voet H (2012). A European tool for usual intake distribution estimation in relation to data collection by EFSA. Scientific Report submitted to EFSA.
<http://www.efsa.europa.eu/en/supporting/pub/300e.htm>.
- Goedhart PW, van der Voet H, Knüppel S, Dekkers ALM, Dodd, KW, Boeing H, van Klaveren JD (2012). A comparison by simulation of different methods to estimate the usual intake distribution for episodically consumed foods. Scientific Report submitted to EFSA.
<http://www.efsa.europa.eu/en/supporting/pub/299e.htm>.

2011

- Noorlander, C.W., van Leeuwen, S.P.J., te Biesebeek, J.D., Mengelers, M.J.B. and Zeilmaker, M.J. (2011). Levels of perfluorinated compounds in food and dietary Intake of PFOS and PFOA in the Netherlands. *Journal of Agricultural and Food Chemistry*, 59: 7496–7505.
- Boon, P.E., Bonthuis, M., van der Voet, H. and van Klaveren, J.D. (2011). Comparison of different exposure assessment methods to estimate the long-term dietary exposure to dioxins and ochratoxin A. *Food and Chemical Toxicology*, 49: 1979-1988.

- Souverein, O.W., de Boer, W.J., Geelen, A., van der Voet, H., de Vries, J., Feinberg, M. and van 't Veer, P. (2011). Uncertainty in intake due to portion size estimation in 24-hour recalls varies between food groups. *Journal of Nutrition*, 141: 1396-1401.
- Temme, E.H.M., van der Voet, H., Roodenburg, A., Bulder, A., van Donkersgoed, G. and van Klaveren, J.D. (2011). Impact of foods with health logo on saturated fat, sodium and sugar intake of young Dutch adults. *Public Health Nutrition*, 14: 635–644.

2010

- König, A., Kuiper, H.A., Marvin, H.J.P., Boon, P.E., Busk, L., Cnudde, F., Cope, S., Davies, H.V., Dreyer, M., Frewer, L.J., Kaiser, M., Kleter, G.A., Knudsen, I., Pascal, G., Prandini, A., Renn, O., Smith, M.R., Traill, B.W., van der Voet, H., van Trijp, H., Vos, E. and Wentholst, M.T.A. (2010). The SAFE FOODS framework for improved risk analysis of foods. *Food Control*, 21: 1566-1587.
- Slob, W., de Boer, W.J., van der Voet, H. (2010). Can current dietary exposure models handle aggregated intake from different foods? A simulation study for the case of two foods. *Food and Chemical Toxicology*, 48: 178-186.
- EFSA (2010). Panel on Contaminants in the Food Chain (CONTAM). Scientific Opinion on Lead in Food. *EFSA Journal* 8(4): 1570 [147 pp.]. <http://www.efsa.europa.eu/en/scdocs/scdoc/1570.htm>.
- Boon, P.E., Sioen, I., van der Voet, H. et al. (2010). Long-term dietary exposure to lead in young children living in different European countries. Scientific Report submitted to EFSA. <http://www.efsa.europa.eu/en/scdocs/scdoc/51e.htm>.
- Boon, P.E., te Biesebeek, J.D., Sioen, I. et al. (2010). Long-term dietary exposure to chromium in young children living in different European countries. Scientific Report submitted to EFSA. <http://www.efsa.europa.eu/en/scdocs/scdoc/54e.htm>.
- Sioen, I., Boon, P.E., Huybrechts, I. et al. (2010) Long-term dietary exposure to selenium in young children living in different European countries. Scientific Report submitted to EFSA. <http://www.efsa.europa.eu/en/scdocs/scdoc/56e.htm>.
- Huybrechts, I., Sioen, I., Boon, P.E. et al. (2010). Long-term dietary exposure to different food colours in young children living in different European countries. Scientific Report submitted to EFSA. <http://www.efsa.europa.eu/en/scdocs/scdoc/53e.htm>.

2009

- Jensen BH, Petersen A, Christensen T. (2009). Probabilistic assessment of the cumulative dietary acute exposure of the population of Denmark to organophosphorus and carbamate pesticides. *Food Addit Contam A*. 26: 1038–1048.

- Roodenburg, A.J.C., Temme, E.H.M., Howell Davies, O. and Seidell, J.C. (2009). Potential impact of the Choices programme on nutrient intakes in the Dutch population. *Nutrition Bulletin*, 34: 318-323.
- de Boer, W.J., van der Voet, H., Bokkers, B.G.H., Bakker, M.I., Boon, P.E. (2009). A comparison of two models for estimating usual intake addressing zero consumptions and non-normality. *Food Additives and Contaminants*. 26: 1433-1449.
- Muri, S.D., van der Voet, H., Boon, P.E., van Klaveren, J.D., Brüschiweiler, B.J. (2009). Comparison of human health risks resulting from exposure to fungicides and mycotoxins via food. *Food and Chemical Toxicology*, 47: 2963-2974.
- Müller, A.K., Bosgra, S., Boon, P.E., van der Voet, H., Nielsen, E., Ladefoged, O. (2009). Probabilistic cumulative risk assessment of anti-androgenic pesticides in food. *Food and Chemical Toxicology*, 47: 2951-2962.
- Bos, P.M.J., Boon, P.E., van der Voet, H., Janer, G., Piersma, A.H., Brüschiweiler, B.J., Nielsen, E., Slob, W. (2009). A semi-quantitative model for risk appreciation and risk weighing. *Food and Chemical Toxicology*, 47: 2941-2950.
- van der Voet, H., van der Heijden, G.W.A.M., Bos, P.M.J., Bosgra, S., Boon, P.E., Muri, S.D., Brüschiweiler, B.J. (2009). A model for probabilistic health impact assessment of exposure to food chemicals. *Food and Chemical Toxicology*, 47: 2926-2940.
- Ruprich, J., Rehurkova, I., Boon, P.E., Svensson, K., Moussavian, S., van der Voet, H., Bosgra, S., Van Klaveren, J.D., Busk, L. (2009). Probabilistic modelling of exposure doses and implications for health risk characterization: glycoalkaloids from potatoes. *Food and Chemical Toxicology*, 47: 2899-2905.
- Boon, P.E., Svensson, K., Moussavian, S., van der Voet, H., Petersen, A., Ruprich, J., Debeignach, F., de Boer, W. J., van Donkersgoed, G., Brera, C., van Klaveren, J. D., Busk, L. (2009). Probabilistic acute dietary exposure assessments to captan and tolylfluanid using several European food consumption and pesticide concentration databases. *Food and Chemical Toxicology*. 47: 2890-2898.
- Bosgra, S., van der Voet, H., Boon, P.E., Slob, W. (2009). An integrated probabilistic framework for cumulative risk assessment of common mechanism chemicals in food: an example with organophosphorus pesticides. *Regulatory Toxicology and Pharmacology*. 54: 124–133.
- Boon, P.E., Bakker, M.I., van Klaveren, J.D., van Rossum, C.T.M. (2009). Risk assessment of the dietary exposure to contaminants and pesticide residues in young children in the Netherlands. Report 35007000. National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands. <http://www.rivm.nl/bibliotheek/rapporten/350070002.pdf>.
- van Klaveren, J.D., van Donkersgoed, G., van der Voet, H., Stephenson, C., Boon, P.E. (2009). Cumulative exposure assessment of triazole pesticides. Report 2009.008. RIKILT, Wageningen. <http://www.efsa.europa.eu/en/scdocs/doc/40e.pdf>.
<http://edepot.wur.nl/11984>

- Boon, P.E., van Asselt, E.D., Bakker, M.I., Kruizinga, A.G., Jansen, M.C.J.F. (2009). Trends in diet and exposure to chemicals in Dutch children Report 2009.002. RIKILT, Wageningen. <http://edepot.wur.nl/7507>
- van Ooijen, H.J., van der Voet, H., Bakker, M.I. (2009). Identification and handling of uncertainties in dietary exposure assessment. Report 320103004/2009, National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands. <http://hdl.handle.net/10029/261706>
- Bokkers B.G.H., Bakker M.I., Boon, P.E., Bosgra S., van der Heijden G.W.A.M., Janer G., Slob W., van der Voet H. (2009). The practicability of the integrated probabilistic risk assessment (IPRA) approach for substances in food. Report 320121001/2009, National Institute for Public Health and the Environment (RIVM), Bilthoven, The Netherlands. <http://hdl.handle.net/10029/260367>.
- EFSA (2009). Panel on Contaminants in the Food Chain (CONTAM). Scientific Opinion on Arsenic in Food. *EFSA Journal* 7(10): 1351 [199 pp.]. <http://www.efsa.europa.eu/en/scdocs/doc/1351.pdf>.
- EFSA (2009). EFSA Panel on Plant Protection Products and their Residues (PPR Panel). Scientific Opinion on Risk Assessment for a Selected Group of Pesticides from the Triazole Group to Test Possible Methodologies to Assess Cumulative Effects from Exposure through Food from these Pesticides on Human Health. *EFSA Journal* 7 (9); 1167 [104 pp]. <http://www.efsa.europa.eu/en/scdocs/doc/1167.pdf>.

2008

- Jensen BH, Andersen JH, Petersen A, Christensen T. (2008). Dietary exposure assessment of Danish consumers to dithiocarbamate residues in food: a comparison of the deterministic and probabilistic approach. *Food Addit Contam A*. 25:714–721.
- Bakker, M.I., de Winter-Sorkina, R., de Mul, A., Boon, P.E., van Donkersgoed, G., van Klaveren, J.D., Baumann, B.A., Hijman, W.C., van Leeuwen, S.P.J., de Boer, J., Zeilmaker, M.J. Dietary intake and risk evaluation of polybrominated diphenyl ethers in The Netherlands. *Mol. Nutr. Food Res.* 2008, 52, 204 – 216.
- Boon, P.E., van der Voet, H., van Raaij, M.T.M., van Klaveren, J.D. (2008). Cumulative risk assessment of the exposure to organophosphorus and carbamate insecticides in the Dutch diet. *Food and Chemical Toxicology*, 46: 3090-3098.
- de Mul, A., Bakker, M.I., Zeilmaker, M.J., Traag, W.A., van Leeuwen, S.P.J., Hoogenboom, R.L.A.P., Boon, P.E., van Klaveren, J.D. (2008). Dietary exposure to dioxins and dioxin-like PCBs in The Netherlands anno 2004. *Regulatory Toxicology and Pharmacology*, 51: 278–287.
- Brantsæter, A.L., Haugen, M., de Mul, A., Bjellaas, T., Becher, G., van Klaveren, J., Alexander, J., Meltzer, H.M. (2008). Exploration of different methods to assess dietary acrylamide exposure in pregnant women participating in the Norwegian Mother and Child Cohort Study (MoBa). *Food and Chemical Toxicology* 46: 2808–2814.
- Seal, C.J., de Mul, A. Eisenbrand, G., Haverkort, A.J., Franke, K., Lalljie, S.P.D., Mykkänen, H., Reimerdes, E., Scholz, G., Somoza, V., Tuijtelaars,

S., van Boekel, M., van Klaveren, J., Wilcockson, S.J., Wilms, L. (2008). Risk-Benefit Considerations of Mitigation Measures on Acrylamide Content of Foods – A Case Study on Potatoes, Cereals and Coffee. *British Journal of Nutrition* Suppl 2, S1-S46.

2007

- van der Voet, H., Slob, W. (2007). Integration of probabilistic exposure assessment and probabilistic hazard characterization. *Risk Analysis*, 27: 351-371.
- EFSA (2007). Opinion of the Scientific Panel on Plant protection products and their Residues on a request from the Commission on acute dietary intake assessment of pesticide residues in fruit and vegetables. *The EFSA Journal* (2007) 538, 1-88. <http://www.efsa.europa.eu>.
- Boon, P.E., Ragas, A.M.J., van Klaveren, J.D. (2007). Exploration of aggregate exposure to compounds present in food. Report 2007.016. RIKILT, Wageningen. <http://www.rikilt.wur.nl/NL/publicaties/Rapporten>.

2006

- Caldas E.D., Tressou J., Boon P.E. (2006). Dietary exposure of Brazilian consumers to dithiocarbamate pesticides - A probabilistic approach. *Food and Chemical Toxicology* 44: 1562-1571.
- Caldas, E.D., Boon, P.E., Tressou, J. (2006). Probabilistic assessment of the cumulative acute exposure to organophosphorus and carbamate insecticides in the Brazilian diet. *Toxicology* 222: 132–142.
- de Winter-Sorkina R, Bakker MI, Wolterink G, Zeilmaker MJ (2006). Brominated flame retardants: occurrence, dietary intake and risk assessment. RIVM-report 320100002/2006. <http://rivm.openrepository.com/rivm/handle/10029/7303>
- van Klaveren, J.D., Noordam, M.Y. Boon, P.E., van Donkersgoed, G., Ossendorp, B.C., van Raaij, M.T.M., van der Roest, J.G. (2006). Trends in normoverschrijdigen, overschrijdingen van de acute referentiewaarde en gesommeerde blootstelling – Tussenevaluatie nota Duurzame gewasbescherming – deelrapport Voedselveiligheid. Rapport 2006.011. RIKILT, Wageningen. <http://edepot.wur.nl/24544>

2005

- Boon, P.E.. de Mul, A., van der Voet, H., van Donkersgoed, G., Brette, M. van Klaveren, J.D. (2005). Calculations of dietary exposure to acrylamide. *Mutation Research*, 580: 143-155.
- Paulo, M.J., van der Voet, H., Jansen, M.J.W., ter Braak, C.J.F. and van Klaveren, J.D. (2005). Risk assessment of dietary exposure to pesticides using a Bayesian method, *Pest Management Science*, 61: 759-766.
- de Mul, A., de Winter-Sorkina, R., Boon, P.E., van Donkersgoed, G., Bakker, M.I., van Klaveren, J.D. (2005). Dietary intake of brominated diphenyl ether congeners by the Dutch population. Report 2005 006. RIKILT, Wageningen. <http://edepot.wur.nl/26982>

- Schothorst RC, van Egmond HP, de Mul A, Boon PE, van Klaveren JD, Speijers GJA (2005). Trichothecenes in baby food. RIVM Report 310301002. <http://www.rivm.nl/bibliotheek/rapporten/310301002.pdf>.

2004

- van der Voet, H. and Paulo, M.J. (2004). Some explorations into Bayesian modelling of risks due to pesticide intake from food. pp 145-162 in: van Boekel, M.A.J.S., Stein, A. and van Bruggen, A.H.C. (eds.), *Bayesian statistics and quality modelling in the agro-food production chain*, Kluwer, Dordrecht, 2004. http://library.wur.nl/frontis/bayes/13_van_der_voet.pdf.
- Boon, P.E., Lignell, S., van Klaveren, J.D., Tjoe Nij, E.I.M. (2004). Estimation of the acute dietary exposure to pesticides using the probabilistic approach and the point estimate methodology. The generation of work examples using food consumption data from the Netherlands and Sweden. Report 2004 008. RIKILT, Wageningen. <http://edepot.wur.nl/28647>
- Boon, P.E., Tjoe Nij, E.I.M., van Donkersgoed, G., van Klaveren, J.D. (2004). Probabilistic intake calculations performed for the Codex Committee on Pesticide Residues. Report 2004 005. RIKILT, Wageningen. <http://edepot.wur.nl/36066>
- Boon, P.E., Tjoe Nij, E.I.M., Koopman, N., van Klaveren, J.D. Dietary habits and exposure to pesticides in Dutch infants. Report 2004 017. RIKILT, Wageningen. <http://edepot.wur.nl/44408>

2003

- Boon, P.E., van der Voet, H., van Klaveren, J.D. (2003). Validation of a probabilistic model of dietary exposure to selected pesticides in Dutch infants. *Food Additives and Contaminants*, 20 (Suppl. 1): S36-S49.
- Gibney, M.J., van der Voet, H. (2003). Introduction to the Monte Carlo project and the approach to the validation of probabilistic models of dietary exposure to selected food chemicals. *Food Additives and Contaminants*, 20 (Suppl. 1): S1-S7.
- de Winter-Sorkina R., Bakker, M.I., van Donkersgoed, G., van Klaveren, J.D. (2003). Dietary intake of brominated flame retardants by the Dutch population. Report 2003.019. RIKILT, Wageningen. <http://hdl.handle.net/10029/7303>.
- de Winter-Sorkina, R., van Donkersgoed, G., Bakker, M.I., van Klaveren, J.D. (2003). Dietary intake of heavy metals (cadmium, lead and mercury) by the Dutch population. Report 2003.016. RIKILT, Wageningen. <http://edepot.wur.nl/41597>
- Boon P.E., van der Voet, H., van Klaveren, J.D. (2003). Dietary exposure to pesticides - relevant variables and probabilistic modelling. Report 2003.008. RIKILT, Wageningen. <http://edepot.wur.nl/23045>
- Boon P.E., van Klaveren J.D. (2003). Cumulative exposure to acetylcholinesterase inhibiting compounds in the Dutch population and young children. report 2003.003. RIKILT, Wageningen. <http://edepot.wur.nl/30057>

- van der Voet H., van Klaveren J.D., Boon, P.E. (2003). Validation of Monte Carlo models for estimating pesticide intake of Dutch infants. Report 2003.002. RIKILT, Wageningen. <http://edepot.wur.nl/39363>

2002

- Boon, P.E., van Donkersgoed, G., van Klaveren, J.D. Human acute exposure assessment of pesticides in fruits and vegetables. Report 2002.002. RIKILT, Wageningen.